

GS 0583 S A US

AMENDMENTS TO THE CLAIMS

The listing below of the claims will replace all prior versions and listings of claims in the present application:

Listing of Claims:

Claim 1 (currently amended): A method for operating a motor vehicle having a driving engine and an automated or automatic transmission in the a drive train for transmitting a torque, said method comprising the steps of: providing a transmission control unit including a memory function and operable to control a shift of gears within the transmission, controlling a clutch engagement/disengagement process to improve riding comfort during a shift of gears from R to D by momentary engagement of engine torque before a shift of gears takes place by means of a transmission actuator.

Claim 2 (previously presented): A method in accordance with claim 1, including the step of providing a driver-identifying lock recognition system that includes driver-specific parameters for controlling vehicle operation in accordance with predetermined driver-related vehicle operation characteristics.

Claim 3 (currently amended): A method in accordance with claim 1, including the step of changing engine torque by means of the transmission control system unit that is regulated by a CAN bus.

BEST AVAILABLE COPY

GS 0583 S A US

Claim 4 (previously presented): A method in accordance with claim 1, wherein the engine torque is less than 10 Nm before the gear shift.

Claim 5 (currently amended): A method in accordance with claim 1, including the step of utilizing at least one of the memory function of the transmission control unit and the a driver-identifying lock system to balance relevant adaptation parameters in the control unit.

Claim 6 (currently amended): A method in accordance with claim 1, including the step of establishing an additional signal during communication with the transmission control unit to identify the corresponding driver (Driver-ID).

Claim 7 (currently amended): A method in accordance with claim 1, including the step of inputting the adaptation parameters for a transmission shift program following a boot process of the transmission control unit and the identification of the driver.

Claim 8 (currently amended): A method in accordance with claim 1, wherein the linking of the signals from the control unit takes place through the a CAN bus of the motor vehicle.

GS 0583 S A US

Claim 9 (currently amended): A method in accordance with claim 1, including the step of detecting in ~~the~~ a chassis level regulation control unit for ~~the~~ level control of ~~the~~ a chassis data received from ~~the~~ level control actuators, and correlating the level control actuator data with the transmission control unit to control vehicle pitch angle.

Claim 10 (currently amended): A method in accordance with claim 9, wherein a level control of the chassis takes place as a function of the clutch engagement/disengagement and transmission shift processes.

Claim 11 (previously presented): Apparatus in accordance with claim 13, including vehicle leveling actuators arranged in at least one of a forward and a rear axle of the motor vehicle, wherein the leveling actuators are parallel to respective chassis-mounted shock absorbers.

Claim 12 (previously presented): Apparatus in accordance with claim 11, wherein during a control process regulating distances of the leveling actuators of an axle are regulated individually for each wheel of the vehicle.

Claim 13 (previously presented): Apparatus for operating a motor vehicle having a driving engine and an automated or automatic transmission in a drive train for transmitting a torque, said apparatus comprising: a control unit including a memory function, wherein the control unit is operable to control operation of a

GS 0583 S A US

clutch and a shift of gears within the transmission to provide a clutch engagement/disengagement process to improve riding comfort during a shift of gears from R to D by momentary engagement of engine torque before a shift of gears takes place, and a transmission actuator operatively connected with the transmission control unit for shifting gears.

Claim 14 (previously presented): Apparatus in accordance with claim 13, including a driver identification system for accessing driver-specific vehicle operating parameters for controlling vehicle operation and transmission gear shifts.

Claim 15 (currently amended): Apparatus in accordance with claim 4 13, including vehicle leveling actuators arranged in at least one of a forward and a rear axle of the motor vehicle, wherein the leveling actuators are components of the shock absorbers.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.